

BBCV2.MH28122 Lithium Batteries - Component

[Page Bottom](#)

Lithium Batteries - Component

[See General Information for Lithium Batteries - Component](#)

XENOENERGY CO LTD

MH28122

470-20 MOOSONG-DONG

HWASEONG-SHI, KYONGGI-DO 445-020 REPUBLIC OF KOREA

Model No.	Primary Type ^[a]	Max Abnormal Charging Current mA	Max Abnormal Charging Voltage, V dc	Replacement [b],[c]
HP-5134	Lithium thionyl chloride	13.9	12	Technician
HP-5135	Lithium thionyl chloride	13.9	12	Technician
LTC-7P	Lithium thionyl chloride	5	12	Technician
LTC-7PMP	Lithium thionyl chloride	5	12	Technician
LTC-7PMS	Lithium thionyl chloride	5	12	Technician
XL-050F, XLP-050F	Lithium thionyl chloride	20	5.0	Technician
XL-050H	Lithium thionyl chloride	20	5.0	Technician
XL-055F, XLP-055F, XL-055H	Lithium thionyl chloride (Cylindrical)	20	-	Technician
XL-060F, XLP-060F, XL-060H	Lithium thionyl chloride	35	5.0	Technician
XL-1/3N	Lithium thionyl chloride	10	6.0	Technician
XL-100F	Lithium thionyl chloride	40	19	Technician
XL-140F	Lithium thionyl chloride	100	5.0	Technician
XL-1459F	Lithium-sulfuryl chloride (Cylindrical)	230	-	Technician
XL-145F	Lithium thionyl chloride	80	5.0	Technician
XL-200F	Lithium thionyl chloride	120	5.0	Technician
XL-2059F	Lithium-sulfuryl chloride (Cylindrical)	225	-	Technician
XL-205F	Lithium thionyl chloride	120	5.0	Technician
XL-210F	Lithium thionyl chloride (Cylindrical)	20	-	Technician
XL-2450F	Lithium thionyl chloride	15	6.0	Technician
XL-414F	Lithium thionyl chloride (Cylindrical)	250	6	Technician

[a] These cells and batteries are not rechargeable. The circuit containing these cells or batteries is to contain a protective component that prevents charging. The circuitry is to include a current-limiting component intended to protect the cell or battery, in the event the protective component malfunctions, from a charging current in excess of the maximum abnormal charging current indicated.

[b] User - These primary cells and batteries are intended for use in applications subject to replacement by a user.

[c] Technician - These primary cells and batteries are intended for use in applications subject to replacement only by a trained service technician.

Marking: Company name, Recognized Component Mark,  on the cell or smallest shipping package containing the cell.
[Last Updated](#) on 2012-11-30

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

◆ 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".